# **KLMP**

15954

14368

**USB-C mini Dock 8-port** 

# **USB-C Product Overview**

# **Key Features**

- 8-port USB-C mini Dock
- Supports Power Delivery and data transfer over USB-C port
- Plug & Play, no driver needed, bus powered
- Transmits audio and video over HDMI with a resolution of up to UHD 4K
- One (1) USB 3.0 port with 1A power output to charge an iPhone
- Power Delivery via USB-C port to attached host computer and connected devices

>	Description	LMP USB-C mini Dock, HDMI, 3x USB 3.0, Ethernet, SD/MicroSD, USB-C, aluminum housing
	Order info	Silver P/N 14368   EAN 7640113431761 Space gray P/N 15954   EAN 7640113431808
	Interfaces	1x HDMI 1.4 (up to UHD 4K @ 30 Hz), 3x USB 3.0 (up to 5 Gbps), 1x Ethernet (up to 1000 Mbps), 1x SD und 1x microSD card reader, 1x USB-C for charging (PD) & data transfer
	System requirements	Mac with USB-C or Thunderbolt 3 port OS X 10.10 or higher, Windows 10
	Power supply	Via USB-C from host (bus powered) for low-energy peripherals or via USB-C port from external power supply for simultaneous charging of the host computer and attached peripherals
	Dimensions	10.5 x 5 x 1.5 cm   25.5 cm incl. cable   70 g
	Package content	LMP USB-C mini Dock, Manual
,		



USB 3.01A











Compatible witl **Thunderbolt 3** 





- 4-port USB-C Multiport Hub
- Plug & Play, no driver needed, bus powered
- Data transfer over USB 3.0 with max. 5 Gbps
- Transmits audio and video over HDMI with a resolution of up to UHD 4K
- $\bullet \ \ \text{Power Delivery via USB-C port to attached host computer and connected devices}$

LMP USB-C Combo Hub, HDMI, 2x USB 3.0, USB-C charging port, aluminum housing
Silver P/N 16061   EAN 7640113431792 Space gray P/N 16064   EAN 7640113431815
1x HDMI 1.4 (up to UHD 4K @ 30 Hz), 2x USB 3.0 (up to 5 Gbps), 1x USB-C for charging
Mac with USB-C or Thunderbolt 3 port OS X 10.10 or higher, Windows 10
Via USB-C from host (bus powered) for low-energy peripherals or via USB-C port from external power supply for simultaneous charging of the host computer and attached peripherals
10.8 x 2.7 x 1 cm   25.5 cm incl. cable   44 g
LMP USB-C Combo Hub









# USB-C Multiport Adapter HDMI & USB 3.0



#### **Key Features**

- 3-port USB-C Multiport adapter
- Plug & Play, no driver needed, bus powered
- Transmits audio and video over HDMI with a resolution of up to UHD 4K
- Data transfer over USB 3.0 with max. 5 Gbps
- Power Delivery via USB-C port to attached host computer and connected devices

Description	LMP USB-C (m) to HDMI [4Kx2K] (f) & USB 3.0 (f) & USB-C charging Multiport Adapter, aluminum
Order info	Silver P/N 15090   EAN 7640113431792 Space gray P/N 15948   EAN 7640113431815
Interfaces	1x HDMI 1.4 (up to UHD 4K @ 30 Hz), 1x USB 3.0 (up to 5 Gbps), 1x USB-C for charging
System requirements	Mac with USB-C or Thunderbolt 3 port OS X 10.10 or higher, Windows 10
Power supply	Via USB-C from host (bus powered) for low-energy peripherals or via USB-C port from external power supply for simultaneous charging of the host computer and attached peripherals
Dimensions	7.3 x 3.7 x 1.5 cm   17.5 cm incl. cable   45 g
Package content	LMP USB-C Multiport adapter HDMI & USB 3.0







#### **USB-C Multiport Adapter VGA & USB 3.0**



- 3-port USB-C Multiport adapter
- Plug & Play, no driver needed, bus powered
- Transmits video over VGA with a resolution of up to FHD 1080p
- Data transfer over USB 3.0 with max. 5 Gbps
- Power Delivery via USB-C port to attached host computer and connected devices

Description	LMP USB-C (m) to VGA & USB 3.0 (f) & USB-C charging Multiport Adapter, aluminum housing
Order info	Silver P/N 15093   EAN 7640113431785 Space gray P/N 15951   EAN 7640113431822
Interfaces	1x VGA (up to FHD 1080p), 1x USB 3.0 (up to 5 Gbps), 1x USB-C for charging
System requirements	Mac with USB-C or Thunderbolt 3 port OS X 10.10 or higher, Windows 10
Power supply	Via USB-C from host (bus powered) for low-energy peripherals or via USB-C port from external power supply for simultaneous charging of the host computer and attached peripherals
Dimensions	7.3 x 3.7 x 1.5 cm   17.5 cm incl. cable   45 g
Package content	LMP USB-C Multiport adapter VGA & USB 3.0









#### **USB-C to HDMI 2.0 Adapter**



# **Key Features**

- Plug & Play, no driver needed, bus powered
- Aluminum housing in silver or space gray
- $\bullet$  Transmits audio and video over HDMI with a resolution of up to UHD 4K @ 60 Hz

Description	LMP USB-C to HDMI 2.0 adapter, USB-C 3.1 to HDMI 2.0, aluminum housing
Order info	Silver P/N 15987   EAN 7640113431907 Space gray P/N 15940   EAN 7640113431839
Interfaces	1x HDMI 2.0 (f) 1x USB-C (m)
System requirements	Mac with USB-C or Thunderbolt 3 port OS X 10.10 or higher, Windows 10
Dimensions	4.7 x 3.7 x 1.3 cm   23.5 cm incl. cable   30 g
Package content	LMP USB-C to HDMI 2.0 adapter





# **USB-C to DisplayPort 1.2 Adapter**



#### **Key Features**

- Plug & Play, no driver needed, bus powered
- Aluminum housing in silver or space gray
- Transmits audio and video over DP with a resolution of up to UHD 4K @ 60Hz

Description	LMP USB-C to DisplayPort adapter, USB-C 3.1 to DisplayPort, aluminum housing
Order info	Silver P/N 15983   EAN 7640113431860 Space gray P/N 15936   EAN 7640113431877
Interfaces	1x DisplayPort 1.2 (f) 1x USB-C (m)
System requirements	Mac with USB-C or Thunderbolt 3 port OS X 10.10 or higher, Windows 10
Dimensions	4.7 x 3.7 x 1.3 cm   23.5 cm incl. Kabel   30 g
Package content	LMP USB-C to DisplayPort adapter





# USB-C to Mini-DisplayPort 1.2 Adapter



#### **Key Features**

- Plug & Play, no driver needed, bus powered
- Aluminum housing in silver or space gray
- Transmits audio and video over mDP with a resolution of up to UHD 4K @ 60Hz

Description	LMP USB-C to Mini-DisplayPort Adapter, USB-C 3.1 to Mini-DP 1.2 (max. 4K@60Hz), aluminum housing
Order info	Silver P/N 16134   EAN 7640113432171 Space gray P/N 16138   EAN 7640113432188
Interfaces	1x Mini-DisplayPort 1.2 (f) 1x USB-C (m)
System requirements	Mac with USB-C or Thunderbolt 3 port OS X 10.10 or higher, Windows 10
Dimensions	4.8 x 3 x 1.4 cm   17 cm incl. cable   30 g
Package content	LMP USB-C to Mini-DisplayPort adapter







Compatible wit **Thunderbolt 3** 

#### **USB-C to DVI Adapter**



# **Key Features**

- Plug & Play, no driver needed, bus powered
- Aluminum housing in silver or space gray
- Transmits video over DVI with support of 1920x1080 FullHD resolution

Description	LMP USB-C to DVI adapter, USB-C 3.1 to DVI, aluminum housing
Order info	Silver P/N 15991   EAN 7640113431884 Space gray P/N 15944   EAN 7640113431891
Interfaces	1x DVI (f) 1x USB-C (m)
System requirements	Mac with USB-C or Thunderbolt 3 port OS X 10.10 or higher, Windows 10
Dimensions	4.7 x 3.7 x 1.3 cm   23.5 cm incl. cable   30 g
Package content	LMP USB-C to DVI adapter





# **USB-C to VGA Adapter**



# **Key Features**

- Plug & Play, no driver needed, bus powered
- Aluminum housing in silver or space gray
- Transmits video over VGA with support of 1920x1080 FullHD resolution

Description	LMP USB-C to VGA adapter, USB-C 3.1 to VGA, aluminum housing
Order info	Silver P/N 15979   EAN 7640113431914 Space gray P/N 15932   EAN 7640113431846
Interfaces	1x VGA (f) 1x USB-C (m)
System requirements	Mac with USB-C or Thunderbolt 3 port OS X 10.10 or higher, Windows 10
Dimensions	4.7 x 3.7 x 1.3 cm   23.5 cm incl. cable   30 g
Package content	LMP USB-C to VGA adapter





#### **USB-C to Gigabit Ethernet Adapter**



# **Key Features**

- Plug & Play, no driver needed, bus powered
- $\bullet \ A luminum \ housing \ in \ silver \ or \ space \ gray$
- Transfers data with 10/100/1000 Mbps and supports Wake-on-LAN (WOL)

Description	LMP USB-C (m) to Gigabit Ethernet (f) adapter (w/o driver)
Order info	Silver P/N 15995   EAN 7640113431853 Space gray P/N 16003   EAN 7640113431921
Interfaces	1x Gigabit Ethernet (f) 1x USB-C (m)
System requirements	Mac with USB-C or Thunderbolt 3 port OS X 10.10 or higher, Windows 10
Dimensions	5 x 2.1 x 1.5 cm   23.5 cm incl. cable   25 g
Package content	LMP USB-C to Gigabit Ethernet adapter







Compatible wit Thunderbolt 3

# **USB-C** to USB-A Adapter



# **Key Features**

- Plug & Play, no driver needed, bus powered
- Aluminum housing in silver or space gray
- Transfers data with up to 5 Gbps and delivers max. 3A power

Description	LMP USB-C (m) to USB A (f) adapter, 5G/3A, 15 cm, aluminum housing
Order info	Silver P/N 16089   EAN Space gray P/N 16093   EAN
Interfaces	1x USB-A (f) 1x USB-C (m)
System requirements	Mac with USB-C or Thunderbolt 3 port OS X 10.10 or higher, Windows 10
Dimensions	2.8 x 1.7 x 1 cm   16 cm incl. cable   15 g
Package content	LMP USB-C to USB-A adapter





# **USB-C** to **USB-A** Adapter



#### **Key Features**

- Plug & Play, no driver needed, bus powered
- Small and compact
- Transfers data with up to 5 Gbps and delivers max. 3A power

Description	LMP USB-C (m) to USB A (f) adapter, 5G/3A, black
Order info	P/N 13865   EAN 7640113431532
Interfaces	1x USB-A (f) 1x USB-C (m)
System requirements	Mac with USB-C or Thunderbolt 3 port OS X 10.10 or higher, Windows 10
Dimensions	3 x 1.8 x 0.9 cm   6 g
Package content	LMP USB-C to USB-A Adapter





#### USB-C to HDMI 2.0 cable, 1.8 m



- Plug & Play, no driver needed
- $\bullet$  Connect your MacBook Pro directly with a TV, Projector, etc.
- $\bullet$  Transmits audio and video over HDMI 2.0 with a resolution of up to UHD 4K  $\,$  @ 60 Hz

Description	LMP USB-C to HDMI 2.0 cable, USB-C 3.1 to HDMI 2.0 (m), 4K@60Hz, black, 1.8 m
Order info	P/N 16055   EAN 7640113432119
Interfaces	1x HDMI 2.0 (m) 1x USB-C (m)
System requirements	Mac with USB-C or Thunderbolt 3 port OS X 10.10 or higher, Windows 10
Package content	LMP USB-C to HDMI 2.0 cable, 1.8 m







#### USB-C to USB-C cable,1 m



# **Key Features**

- Plug & Play, no driver needed
- Connect your MacBook Pro with USB-C capable peripherals
- Transfers data with up to 10 Gbps and delivers max. 3A power

Description	LMP USB-C (m) to USB-C (m) cable, 10G/3A with E-Mark, 1 m, white
Order info	P/N 13869   EAN 7640113431518
Interfaces	2 x USB-C (m)
System requirements	Mac with USB-C or Thunderbolt 3 port OS X 10.10 or higher, Windows 10
Package content	LMP USB-C cable, 1 m





#### USB-C to micro-USB 3.0 cable, 1 m



#### **Key Features**

- Plug & Play, no driver needed
- Connects micro-USB 3.0 peripherals to USB-C port
- Transfers data with up to 10 Gbps and delivers max. 3A power

Description	LMP USB-C (m) to USB 3.0 micro-USB (m) cable, 10G/3A with E-Mark, 1 m, white
Order info	P/N 13868   EAN 7640113431525
Interfaces	1x micro-USB 3.0 (m) 1x USB-C (m)
System requirements	Mac with USB-C or Thunderbolt 3 port OS X 10.10 or higher, Windows 10
Package content	LMP USB-C to micro-USB 3.0 cable, 1 m





# USB-C to micro-USB 2.0 cable, 1 m



- Plug & Play, no driver needed
- Connects micro-USB 2.0 peripherals to USB-C port
- Transfers data with up to 480 Mbps and delivers max. 3A power

Description	LMP USB-C (m) to micro-USB 2.0 m cable, 480Mbps/3A, 1 m, white
Order info	P/N 13870   EAN 7640113431501
Interfaces	1x micro-USB 2.0 (m) 1x USB-C (m)
System requirements	Mac with USB-C or Thunderbolt 3 port OS X 10.10 or higher, Windows 10
Package content	LMP USB-C to micro-USB 2.0 cable, 1 m





